

COLD-EEZE- zinc gluconate lozenge
Mylan Consumer Healthcare, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts

Active ingredient (per lozenge)

Zinc Gluconate 2X HPUS[†]
(2.3%) (13.3 mg zinc)

[†]The letters 'HPUS' indicate that the active ingredient is in the official Homeopathic Pharmacopeia of the United States.

Purpose

Cold Remedy

Uses

- reduces the duration of the common cold
- reduces the severity of cold symptoms: cough, sore throat, nasal congestion, post nasal drip and/or hoarseness

Warnings

Do not use for treatment of influenza or allergies. This product is intended only to reduce the duration of the common cold and its symptoms.

Ask a doctor or pharmacist before use if you are taking minocycline, doxycycline, tetracycline or are on Coumadin (warfarin) therapy. Zinc treatment may inhibit the absorption of these medicines.

When using this product

- do not take on an empty stomach (to avoid possible minor stomach upset)
- it may cause a laxative effect

Stop use and ask your doctor if symptoms persist more than 7 days

If pregnant or breastfeeding,

ask a healthcare practitioner before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take one lozenge at the onset of symptoms
- dissolve entire lozenge in mouth
- do not chew
- do not swallow whole
- do not eat or drink for 15 minutes after use
- repeat every 2-4 hours until symptoms subside

Adults 18 years and over	do not exceed 6 lozenges per day
Children 12 to under 18 years	do not exceed 4 lozenges per day
Children under 12 years	ask a doctor before use

Other information

- store in a cool, dry place after opening
- best if used within 6 months after opening

Inactive ingredients

Acesulfame-K, glycine, isomalt, natural flavors

Questions or comments?

call 1-800-505-2653 (Mon – Fri: 8AM – 5PM EST)

*A clinical study found the Cold-EEZE formula reduces the duration of the common cold by 42%, when taken at the first sign of symptoms and used as directed.

The double blind placebo controlled study was conducted at the Cleveland Clinic and published in a peer reviewed journal.

For cold-fighting tips and more about the Cold-EEZE® science, go to www.ColdEEZE.com

‡Based on unit sales of cold shortening, homeopathic zinc lozenges.

This product has not been evaluated by the FDA.

Principal Display Panel - Sugar Free Cherry Lozenges

NDC 46017-324-25

The #1 Best Selling Zinc Lozenge Brand[‡]

Cold-EEZE[®]

ZINC GLUCONATE HOMEOPATHIC

SHORTENS YOUR COLD[®]

SUGAR FREE

CLINICALLY TESTED

to Shorten Colds by 42%*

Pharmacist Recommended

NATURAL WILD

CHERRY FLAVOR

25 Lozenges

- ✓ **Our clinically tested
formula releases
zinc ions in the mouth[®]
and shortens the
duration of the
common cold**

- ✓ **Take Cold-EEZE[®] at
the first sign of a cold**
- ✓ **Continue until
symptoms are gone**
- ✓ **Gluten Free**
- ✓ **No artificial colors
or preservatives**

DRUG FACTS

Active ingredient (per lozenge) Purpose
Zinc gluconate 2% (13 mg zinc) Cold remedy
The active ingredient is the official homeopathic preparation of the United States.

Uses
• reduces the severity of cold symptoms such as cough, sore throat, nasal congestion, post nasal drip and/or hoarseness
• reduces the duration of the common cold

Warnings
Do not use for treatment of influenza or other viral infections. The product is intended only to reduce the duration of the common cold and its symptoms.
Ask a doctor or pharmacist before use if you are taking minocycline, doxycycline, tetracycline or any other medicine (antibiotic therapy). Zinc treatment may inhibit the absorption of these medicines.
When using this product
• do not take on an empty stomach (to avoid possible minor stomach upset)
• it may cause a laxative effect
Stop use and ask your doctor if symptoms persist more than 7 days
If pregnant or breastfeeding, ask a healthcare professional before use.
Report of research in children: In case of overdose, get medical help or contact Poison Control Center right away.

Directions
• take one lozenge at the onset of symptoms
• dissolve entire lozenge in mouth
• do not chew
• do not swallow whole
• do not eat or drink for 15 minutes after use
• repeat every 2-4 hours until symptoms subside
Adults: 18 years and over
do not exceed 6 lozenges per day
Children: 12 to under 18 years
do not exceed 4 lozenges per day
Children: under 12 years
ask a doctor before use

Other information
• store in a cool, dry place after opening
• best if used within 6 months after opening

Inactive ingredients
ascorbic acid, glycerine, lemon oil, natural flavors

Questions or comments?
call 1-800-5-06-26-53 (Mon-Fri: 9AM-5PM EST)

A clinical study found the Cold-EEZE formula reduces the duration of the common cold by 42%, when taken at the first sign of symptoms and used as directed. The double blind placebo controlled study was conducted at the Cleveland Clinic and published in a peer reviewed journal. For cold-fighting tips and more about the Cold-EEZE science, go to www.ColdEEZE.com. Based on United States homeopathic lozenges. This product has not been evaluated by the FDA.

The #1 Best Selling Zinc Lozenge Brand
Cold-EEZE
COLD REMEDY
ZINC GLUCONATE HOMEOPATHIC

Cold-EEZE
COLD REMEDY
ZINC GLUCONATE HOMEOPATHIC

25
Zinc Lozenges

SHORTENS YOUR COLD*



SUGAR FREE
NATURAL WILD CHERRY FLAVOR

NDC 46017-324-25

The #1 Best Selling Zinc Lozenge Brand*

Cold-EEZE
COLD REMEDY
ZINC GLUCONATE HOMEOPATHIC

Cold-EEZE
COLD REMEDY
ZINC GLUCONATE HOMEOPATHIC

Cold-EEZE
COLD REMEDY
ZINC GLUCONATE HOMEOPATHIC



Principal Display Panel - Sugar Free Honey Lemon

NDC 46017-334-83

The Original and #1 Best Selling Zinc Lozenges*

Cold-EEZE®

ZINC GLUCONATE GLYCINE

SHORTENS YOUR COLD

WORKS FASTER®+

SUGAR FREE

CLINICALLY PROVEN

to reduce the duration of the common cold®+

#1 PHARMACIST RECOMMENDED

18 LOZENGES

HOMEOPATHIC

RESEALABLE BAG INSIDE

NATURAL FLAVOR

**Sugar Free
Honey Lemon**

- + **Take Cold-EEZE® when you have a cold⁺**
- + **Continue until symptoms are gone^{*}**
- + **Gluten Free**
- + **Our clinically proven formula releases zinc ions in the mouth that shorten the duration of the common cold⁺**

Sugar Free Honey Lemon 400083-003

This product has no expiration date

+ THESE STATEMENTS HAVE BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.

* Based on unit sales of colds/flu/sores, homeopathic zinc lozenges

(M-F 8AM-5PM ET)

Call 1-800-505-2653

Questions or Comments:

For cold/flu/flu tips and more about the Cold-EEZE science, go to www.ColdEEZE.com

Does Not Cause Drowsiness
Does Not Cause Light Headedness
Does Not Affect Blood Pressure
(see warnings)

Cold-EEZE is safe to take with most other medications and is gluten free.
The double blind placebo controlled studies were conducted at the Cleveland Clinic and Dartmouth College and published in peer reviewed journals.

Cold-EEZE formula reduces the duration of the common cold by almost half.
Clinical Studies have shown: The unique Selling Zinc Lozenges[®]
The Original and #1 Best

SHORTENS YOUR COLD WORKS FASTER[®]

Cold-EEZE
ZINC GLUCONATE GLYCINE

Drug Facts

Active ingredient (per lozenge): Zincum Gluconatum 2x (13.3 mg zinc).....Cold Remedy Purpose

Uses

- to reduce the duration of the common cold
- reduces the severity of cold symptoms: cough, sore throat, nasal congestion, post nasal drip and/or hoarseness

Warnings

Ask a doctor before use if you

- are taking minocycline, doxycycline, tetracycline or are on Coumadin therapy; zinc treatment may inhibit the absorption of these medicines

Stop use and ask your healthcare practitioner if symptoms persist beyond 7 days

Cold-EEZE lozenges are formulated to reduce the duration of the common cold and its symptoms and is insufficient treatment for influenza or allergies

Diabetic Warning: sugar replacements may affect blood sugar levels

If pregnant or breastfeeding, ask a healthcare practitioner before use. **Keep out of reach of children.**

Directions

Adults and children 12 years and over:

- take Cold-EEZE when you have cold symptoms
- completely dissolve a Cold-EEZE lozenge in mouth (do not chew)
- repeat every 2-4 hours as needed until all symptoms subside
- recommended daily dosage is 6 lozenges for adults and 4 lozenges for ages 12-17

Children under 12 years of age should consult a healthcare practitioner prior to use

Other information

- do not take Cold-EEZE lozenges on an empty stomach to avoid possible minor stomach upset
- do not eat or drink for 15 minutes after use
- store in a cool, dry place after opening; best if used within 6 months after opening
- gluten free
- product may produce a laxative effect

Inactive ingredients

Ascorbate-K, glycerine, isomalt, natural flavors

No artificial colors or preservatives

18 LOZENGES

Cold-EEZE
ZINC GLUCONATE GLYCINE

SHORTENS YOUR COLD WORKS FASTER[®]

Sugar Free Honey Lemon

The Original and #1 Best Selling Zinc Lozenges[®]

Cold-EEZE
ZINC GLUCONATE GLYCINE

Cold-EEZE
ZINC GLUCONATE GLYCINE

NDC 40017-334-83

NDC 40017-334-83

EEZE Cold
ZINC GLUCONATE GLYCINE



Principal Display Panel - Sugar Free Pomegranate

NDC 46017-335-83

The Original and #1 Best Selling Zinc Lozenges*

Cold-EEZE®

ZINC GLUCONATE GLYCINE

SHORTENS YOUR COLD

WORKS FASTER®+

SUGAR FREE

CLINICALLY PROVEN

to reduce the duration of the common cold®+

#1 PHARMACIST RECOMMENDED

18 LOZENGES

HOMEOPATHIC

RESEALABLE BAG INSIDE

NATURAL FLAVOR

Sugar Free

Pomegranate

- + Take Cold-EEZE® when you have a cold⁺**
- + Continue until symptoms are gone^{*}**
- + Gluten Free**
- + Our clinically proven formula releases zinc ions in the mouth that shorten the duration of the common cold⁺**

Sugar Free Pomegranate 400084-003

This product has no expiration date

+ THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.

*Based on unit sales of colds/flu/horning, homeopathic zinc lozenge

(M-F 8AM-5PM ET)

Call 1-800-505-2653

Questions or Comments:

For cold-fighting tips and more about the Cold-EEZE® science, go to www.ColdEEZE.com

Does Not Cause Drowsiness
Does Not Cause Light Headedness
Does Not Affect Blood Pressure

Cold-EEZE® is safe to take with most other medications and is given free.

The double blind placebo controlled studies were conducted at the Cleveland Clinic and Dartmouth College and published in peer reviewed journals.

Cold-EEZE® formula reduces the duration of the common cold by almost half.

Clinical Studies have shown: The unique Cold-EEZE® formula reduces the duration

of the common cold by almost half.

The Original and #1 Best Selling Zinc Lozenges*

SHORTENS YOUR COLD WORKS FASTER*

Cold-EEZE
ZINC GLUCONATE GLYCINE

Cold-EEZE
ZINC GLUCONATE GLYCINE

SHORTENS YOUR COLD WORKS FASTER*

The Original and #1 Best Selling Zinc Lozenges*

Cold-EEZE
ZINC GLUCONATE GLYCINE

Drug Facts

Active ingredient (per lozenge): Zincum Gluconatum 2x (13.5 mg zinc).....Cold Remedy

Purpose

Uses

- to reduce the duration of the common cold
- reduces the severity of cold symptoms: cough, sore throat, nasal congestion, post nasal drip

Warnings

- Ask a doctor before use if you are taking minocycline, doxycycline, tetracycline or are on Coumadin therapy, zinc treatment may inhibit the absorption of these medicines

Stop use and ask your healthcare practitioner if symptoms persist beyond 7 days

Cold-EEZE® lozenges are formulated to reduce the duration of the common cold and its symptoms and is insufficient treatment for influenza or allergies

Diabetic Warning: sugar replacements may affect blood sugar levels

If pregnant or breastfeeding, ask a healthcare practitioner before use. Keep out of reach of children.

Directions

Adults and children 12 years and over:

- take Cold-EEZE® when you have cold symptoms
- completely dissolve a Cold-EEZE® lozenge in mouth (do not chew)
- repeat every 2-4 hours as needed until all symptoms subside
- recommended daily dosage is 8 lozenges for adults and 4 lozenges for ages 12-17

Children under 12 years of age should consult a healthcare practitioner prior to use

Other information

- do not take Cold-EEZE® lozenges on an empty stomach to avoid possible minor stomach upset
- do not eat or drink for 15 minutes after use
- store in a cool, dry place after opening; best if used within 6 months after opening
- product may produce a laxative effect

Inactive ingredients

Ascorbic acid, K, glycerine, isomalt, natural flavors

No artificial colors or preservatives

18 LOZENGES

Sugar Free Pomegranate

Cold-EEZE
ZINC GLUCONATE GLYCINE

NDC 46017-335-83

NDC 46017-335-83

Cold-EEZE
ZINC GLUCONATE GLYCINE



COLD-EEZE

zinc gluconate lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46017-324
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Zinc Gluconate (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	Zinc Gluconate	2 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)	
GLYCINE (UNII: TE7660XO1C)	
ISOMALT (UNII: S870P55O2W)	

Product Characteristics

Color	WHITE (semi-translucent)	Score	no score
Shape	OVAL	Size	23mm
Flavor	CHERRY	Imprint Code	P
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46017-324-25	1 in 1 BOX	06/12/2020	10/31/2022
1		25 in 1 BAG; Type 0: Not a Combination Product		
2	NDC:46017-324-83	1 in 1 BOX	10/11/2018	10/31/2022
2		18 in 1 BAG; Type 0: Not a Combination Product		
3	NDC:46017-324-84	18 in 1 BAG; Type 0: Not a Combination Product	09/28/2018	10/31/2022
4	NDC:46017-324-44	1 in 1 BOX	10/12/2018	10/31/2022
4		24 in 1 BAG; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic		09/28/2018	10/31/2022

COLD-EEZE

zinc gluconate lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46017-334
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Zinc Gluconate (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	Zinc Gluconate	2 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)	

GLYCINE (UNII: TE7660XO1C)				
ISOMALT (UNII: S870P55O2W)				
Product Characteristics				
Color	WHITE (semi-translucent)	Score	no score	
Shape	OVAL	Size	23mm	
Flavor	HONEY (honey lemon)	Imprint Code	P	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46017-334-83	1 in 1 BOX	09/28/2028	
1		18 in 1 BAG; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
Unapproved homeopathic			09/28/2018	10/31/2022

COLD-EEZE			
zinc gluconate lozenge			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46017-335
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
Zinc Gluconate (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)		Zinc Gluconate	2 [hp_X]
Inactive Ingredients			
Ingredient Name			Strength
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)			
Glycine (UNII: TE7660XO1C)			
ISOMALT (UNII: S870P55O2W)			

Product Characteristics

Color	WHITE (semi-translucent)	Score	no score
Shape	OVAL	Size	23mm
Flavor	POMEGRANATE	Imprint Code	P
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46017-335-83	1 in 1 BOX	09/28/2028	
1		18 in 1 BAG; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic		09/28/2018	10/31/2022

Labeler - Mylan Consumer Healthcare, Inc. (831410522)

Revised: 10/2020

Mylan Consumer Healthcare, Inc.